EasySeat & Deluxe EasySeat II

Your new **EASYSEAT** has a unique design and requires some transition time to adapt to your anatomy. Being a unique seat, we suggest that you make several adjustments and take three or four long rides to assure you have maximum comfort. **EASYSEAT** is medically approved and eliminates pressure on vital arteries. The **EASYSEAT** will feel different than a normal bike seat. It will take you time to "get used" to the differences. We ask that you give it some time. It will make a difference in the end.

INSTALLATION

Most bicycles have a portable seat clamp attaching the bicycle seat to the seat-post. That clamp is in many cases re-usable and will attach your new **EASYSEAT** to the seat-post. Many bicycles have a seat clamp built into the seat-post. If your bicycle does not have a seat clamp and you need one, we can supply one for you at a minimal charge.

WIDTH ADJUSTMENT

To adjust the width, loosen the two thumbscrews on the back of the dual pads (for the Deluxe model, just turn the center dial.) Start with the pads almost touching, trying a few different positions, working outward as you test ride. Most people will ride with the pads only 1/8" to 1/4" apart. Check to see that the pads are centered on the bike, and then tighten the screws with finger pressure only (on the Deluxe, insert and tighten enclosed slot screw.)

ANGLE ADJUSTMENT

The **EASYSEAT** comfort range varies with each person. However, placing the seat angle too far back causes too much pressure on the hamstring muscle while angling the seat too far forward will cause you to slide off the seat. If need be, consider elevating your handlebars, to take pressure off your hands for those riders in the crouch down position.

LIMITED WARRANTY

EASYSEAT has a one-year warranty against improper workmanship or defective materials.

Need help? Call our excellent Customer Service Toll Free: (888) 855-3545

ENJOY!